Global Warming and Montana Ecosystems: Its all about water balance

Steven W. Running
Numerical Terradynamic Simulation Group
College of Forestry and Conservation
University of Montana

FOR/GEOG/EVST 295

February 5, 2009

Montana Ecosystem Responses To Climate Trends

Water balance and Disturbance dynamics Will be more important than pure temperature responses

Geographic Variation in Annual Water Balance

(Precip - *Potential* ET, meters per year)



Land Water Balance Tipping Points
(Growing Seasons)



Pest Epidemics
Wildfire
Forest Mortality
Low Streamflows
Reduced Nutrient Cycling
Lower NPP
Biodiversity?
Invasives?

Higher LAI, ET, NPP
Higher Streamflows
Streambank Erosion
Insect-borne diseases
Human Health
Improved wildlife habitat?
Biodiversity?

Site Water Balance
(Precipitation – Potential ET)



Grier and Running 1977

Climate space of global NPP



Potential climate limits to plant growth derived from long-term monthly statistics of minimum temperature, cloud cover and rainfall.



Water = 40%, Temperature = 33%, Radiation = 27%

Nemani et al., Science June 6th 2003

Missoula, Montana USA. Temperate Evergreen Forest



Jolly et al Global Change Biology 2005

Sea Surface Temperature
(Race Rocks lighthouse, Victoria)



Map Legend


Legend
Temperature based on trend per decade (°F)
Precip. & SWE based on % change over selected period
Temp. Decreasing
SWE/Precip. Increasing
Temp. Increasing
SWE/Precip. Decreasing
-1.0+°
100+%
1.0+°
-100+%
-0.5°
50%
0.5°
-50%
0 to -0.1°
0 to 10%
0 to 0.1°
0 to -10%
No Change/Trend

Winter Max Temperature Trend Analysis: 1915-2003



Winter Min Temperature Trend Analysis: 1915-2003



Summer Max Temperature Trend Analysis: 1915-2003



Annual Precipitation Trend Analysis: 1915-2003




Annual Mean Temperature
1951-2004
Temperature, °F
51
49
47
45
43
41
39
1950
1960
1970
1980
1990
2000
50 Year Trends
Great Falls - 0.14° F
Kalispell + 0.85° F
Billings + 1.44° F
Missoula + 1.80° F
Bozeman + 1.95° F


Annual Total Precipitation
1951-2004
50 Year Trends
Bozeman + 1.015"
Kalispell + 1.035"
Missoula + 0.960"
Great Falls - 1.925"
Billings - 1.965"
27
22
17
12
7
1950
1960
1970
1980
1990
2000


Total Snowfall (Inches)
50 Year Trends
Great Falls '51-04 - 6.3"
Kalispell '51-98 - 6.9"
Bozeman '62-04 - 15.9"
Billings '51-04 - 10.7"
Missoula '62-04 - 22.7"
160
140
120
100
80
60
40
20
1950
1960
1970
1980
1990
2000


Mean Temperatures °F (March)
1951-2004
46
41
36
31
26
21
16
1950
1960
1970
1980
1990
2000
50 Year Trends
Bozeman + 7.70° F
Billings + 6.18° F
Kalispell + 5.79° F
Great Falls + 4.84° F
Missoula + 4.66° F


Annual Mean Temperature
50yr Trends
Eastern Montana
52
50
48
46
44
42
40
38
36
°F
1950
1960
1970
1980
1990
2000
2010
Virginia City
Cascade
Big Timber
Cut Bank
Dillon
Ekalaka
Ennis
Chinook
Glendive
Helena
Huntley
Jordan
Medicine Lake
Moccasin Exp S
Savage
Plevna
Flatwillow


Annual Precip
50yr Trends
Eastern Montana
Inches Precip
18
17
16
15
14
13
12
11
10
9
8
1950
1960
1970
1980
1990
2000
2010
Virginia City
Cascade
Big Timber
Cut Bank
Dillon
Ekalaka
Ennis
Chinook
Glendive
Helena
Huntley
Jordan
Medicine Lake
Moccasin Exp S
Savage
Plevna
Flatwillow

Calculus of extremes

The distribution of weather events around the climatic average often follows a ‘bell-shaped’ curve.

Climate change can involve change in the average, or the spread around the average (standard deviation), or both.



A shift in the distribution of temperatures has a much larger relative effect at the extremes than near the mean.

DAYS/Decade <0degF



From Gene Petrescu, NWS, Missoula

Missoula July 07 Records

- Hottest Temperature Ever – 107
- Warmest Night Ever – 71
- Average Temp – 78.1 – 11.2 F above average
  - Breaks the old record by 3.3F
- Most number of 100 F days – 11
  - Old record – 6 in 1936
- Most number of nights 60F and above – 18
  - Old record – 10 in 1985
- Driest July on record at Missoula Airport
  - 0.03” – old Airport record is 0.09”

From Gene Petrescu, NWS, Missoula

THIS WILL BE A NORMAL JULY IN 2050!!


Maximum Temperature Distribution
Missoula, MT
0.025
0.02
0.015
0.01
0.005
0
Normalized Frequency
-10
10
30
50
70
90
110
Temperature
1950's
2000's


Minimum Temperature Distribution
Missoula, MT
Normalized Frequency
0.01
0.008
0.006
0.004
0.002
0
1950's
2000's
-40
-30
-20
-10
0
10
Temperature °F


Maximum Temperature Distribution
Missoula, MT
Normalized Frequency
0.014
0.012
0.01
0.008
0.006
0.004
0.002
0
85
90
95
100
105
110
Temperature
1950's
2000's



This recent warming already has driven significant hydroclimatic changes.

--> Less snow/more rain



March 4 2007, 7,000ft, North-slope Bitterroot Mtns, Montana



Barnett et al Science2008



Barnett 2008

Montana's Streamflow is decreasing and peaking earlier



MONTANA TROUT UNLIMITED

Montana Mean August stream Discharge 1950-2007



ECOSYSTEM RESPONSES

The warming has lengthened growing seasons and hastened green-up dates.



Start Date = First day in longest run of days each year with Tavg > 5C

Cayan et al., BAMS, 2001

Change in Terrestrial NPP from 1982 to 1999.



Nemani et al., Science June 6th 2003

Space Shuttle picture of Montana Fires August 13, 2007

Since 1986:
Western Fire Season 78 days longer
4X Increase in Fires > 1000acres
6X Increase in Acres Burned
> Increase in Forests above 6500ft

Wildfires accelerate 1970 – 2003 with early snowmelt, longer, drier summers





Westerling et al Science 2006, Running, Science 2006



Figure 1. Recent mortality of major western conifer biomes to bark beetles. (a) Map of western North America showing regions of major eruptions by three species. (b) Sizes of conifer biome area affected by these three species over time. Data are from the Canadian Forest Service, the British Columbia Ministry of Forests and Range, and the US Forest Service.

Raffa et al Bioscience 2008.

Union Pass, WY August 2008



Photo, Diana Six

Whitebark Pine Dubois WY Aug 08



MARCH SNOWLEVEL AT SNOWBOWL 2005, 2055



By 2050 Global Climate Models project Montana to be 5deg F. warmer in summer, but receive 10% less rainfall

40% Increase in Summer Evaporative Demand!!

Water Management
Recreation versus Agriculture

The MonDak Region has an enormous amount of potential for irrigation development.